EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	US-6311228-$.DID. OR US-6378035-$.DID. OR US-6360220-$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 14:37
S2	52876	((peripheral device module) near2 (transfer send receive) near2 (data packet frame datagram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 14:39
S3	46148	((peripheral device module) near2 (transfer send receive) near2 (data packet frame datagram)) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 14:40
S4	24701097	((peripheral device module) near2 (transfer transferring send$3 receive receiving) near2 (data packet frame datagram)) AND ((deactivat$3 reuse recycle recycling) NEAR2 (command instruction request)) (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 14:43
S5	264	((peripheral device module) near2 (transfer transferring send$3 receive receiving) near2 (data packet frame datagram)) AND ((deactivat$3 reuse recycle recycling) NEAR2 (command instruction request)) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 14:43
S6	264	((peripheral device module) near2 (transfer transferring send$3 receive receiving) near2 (data packet frame datagram)) AND ((deactivat$3 reuse recycle recycling) NEAR2 (command instruction request)) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 14:45

EAST Search History

S7	133	((peripheral device module) near2 (transfer transferring send$3 receive receiving) near2 (data packet frame datagram)) AND ((deactivat$3 reuse recycle recycling) NEAR2 (command instruction request)) AND ("710"/$. CCLS. "709"/$.CCLS. "370"/$.CCLS. "711"/$.ccls.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 14:53
S8	706	((deactivat$3 reuse recycle recycling) NEAR2 (command instruction request)) AND ("710"/$. CCLS. "709"/$.CCLS. "370"/$.CCLS. "711"/$.ccls.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:02
S9	186	((deactivat$3 reuse recycle recycling) NEAR2 (command instruction request)) AND ("710"/$. CCLS.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 14:54
S10	129	(((deactivat$3 reuse recycle recycling) NEAR2 (command instruction request)) SAME (buffer cache queue)) AND ("710"/$.CCLS. "709"/$.CCLS. "370"/$.CCLS. "711"/$.ccls.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:25
S11	1	(((deactivat$3 reuse recycle recycling) NEAR2 (command instruction request)) SAME (buffer cache queue)) AND "6662297".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:25
S12	1127	(((deactivat$3 reuse recycle recycling off activat$3) NEAR2 (command instruction request)) SAME ((command instruction request) near3 (buffer cache queue))) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:27
S13	120	(((deactivat$3 reuse recycle recycling) NEAR2 (command instruction request)) SAME ((command instruction request) near3 (buffer cache queue))) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:28

S14	34937	((command instruction request) adj2 (buffer cache queue)) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:29
S15	14380	((command instruction request) adj2 (buffer cache queue)) AND ("710"/$.CCLS. "709"/$.CCLS. "370"/$.CCLS. "711"/$.ccls.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:30
S16	27	((deactivat$3 reuse recycle recycling) NEAR2 (command instruction request)) SAME ((command instruction request) adj2 (buffer cache queue)) AND ("710"/$.CCLS. "709"/$.CCLS. "370"/$.CCLS. "711"/$.ccls.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:02
S17	14380	((command instruction request) adj2 (buffer cache queue)) AND ("710"/$.CCLS. "709"/$.CCLS. "370"/$.CCLS. "711"/$.ccls.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:44
S18	470	(((off flag mark) near2 (command instruction request)) SAME ((command instruction request) adj2 (buffer cache queue))) AND ("710"/$.CCLS. "709"/$.CCLS. "370"/$.CCLS. "711"/$.ccls.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:46
S19	303	(((flag mark) near2 (command instruction request)) SAME ((command instruction request) adj2 (buffer cache queue))) AND ("710"/$.CCLS. "709"/$.CCLS. "370"/$.CCLS. "711"/$.ccls.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:47

3/12/2006 3:52:15 PM
C:\Documents and Settings\ssun\My Documents\EAST\Workspaces\Case 10658511 - Peripheral Protocol Stack.wsp

Page 3

S20	114	(((flag mark) near2 (command instruction request)) SAME ((command instruction request) adj2 (buffer cache queue)) SAME (receive receiving send$3 transfer transferring)) AND ("710"/$.CCLS. "709"/$.CCLS. "370"/$.CCLS. "711"/$.ccls.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:48
S21	17	((deactivat$3) NEAR2 (command instruction request)) SAME ((command instruction request) adj2 (buffer cache queue)) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:24
S22	62081	((buffer) SAME (full fill filled)) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:25
S23	3282	((buffer) SAME (full fill filled)) AND ("710"/$.CCLS.)AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:26
S24	1302	((buffer) SAME (full fill filled) SAME (transfer)) AND ("710"/$.CCLS.)AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:26
S25	1195	((buffer) SAME (full fill filled) SAME (transfer) SAME (data)) AND ("710"/$.CCLS.)AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:26
S26	743	(((buffer) near3 (full fill filled)) SAME (transfer) SAME (data)) AND ("710"/$.CCLS.)AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:27

S27	545	(((buffer) near3 (full fill filled)) SAME ((transfer) near2 (data))) AND ("710"/$.CCLS.)AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:27
S28	545	(((buffer) near3 (full fill filled)) SAME ((transfer) near2 (data))) AND ("710"/$.CCLS.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:28
S29	491	(((buffer) near2 (full fill filled)) SAME ((transfer) near2 (data))) AND ("710"/$.CCLS.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:28
S30	242	(((buffer) near2 (fill filled)) SAME ((transfer) near2 (data))) AND ("710"/$.CCLS.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:29
S31	51	(((buffer) near2 (fill filled)) SAME ((transfer) near2 (data)) SAME (signal)) AND ("710"/$.CCLS.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:29
S32	4555	710/8,15,33,52,57.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 19:57
S33	172	710/8,15,33,52,57.CCLS. AND (((buffer) near2 (full fill filled)) SAME ((transfer) near2 (data))) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 19:57